



High Rubber Content Motorcycle Tyre

We have standardization process in production this RICHTONE® High Rubber Content Motorcycle Tyre in China, and ensuring our product's quality. Use the car tire technology which blending of China Taiwan and Japan advanced technology to produce motorcycle tyres. We have get the certificate of ISO9001、CCC、E-MARK、DOT etc. We have hard-working

after-sales team, who are providing after-sales service and protection for our clients.

High Rubber Content Motorcycle Tyre

The following is the introduction of high quality RICHTONE® High Rubber Content Motorcycle Tyre, hoping to help you better understand High Rubber Content Motorcycle Tyre. Welcome new and old customers to continue to cooperate with us to create a better future!

Categories: Street Tyre

Album: [View larger image](#)

Brand: Richtone

Model: 250-17, 250-18, 275-17, 275-18, 300-17, 300-18

FOB port: QINGDAO

Terms of Payment: L/C, D/A, D/P, T/T

Update Time: 2021-03-19

SIZE	PLY RATING	LOAD INDEX	S.W (MM)	O.D (MM)	RIM	MAX LOAD CAPACITY (KG)	INFLATION PRESSURE Kpa
250-17 TT/TL	6PR	43	65	568	1.6*17	155	280
	8PR	45				165	300
SIZE	PLY RATING	LOAD INDEX	S.W (MM)	O.D (MM)	RIM	MAX LOAD CAPACITY (KG)	INFLATION PRESSURE Kpa
275-17 TT/TL	6PR	47	75	588	1.85*17	175	280
	8PR	50				190	300

Shandong Richtone Industrial Co., Ltd.

E-mail: richtonetyre@126.com

Tel: [+86-13793989899](tel:+86-13793989899)

SIZE	PLY RATING	LOAD INDEX	S.W (MM)	O.D (MM)	RIM	MAX LOAD CAPACITY (KG)	INFLATION PRESSURE Kpa
275-18	6PR	48	75	613	1.85*18	180	280
TT/TL	8PR	51				190	300
SIZE	PLY RATING	LOAD INDEX	S.W (MM)	O.D (MM)	RIM	MAX LOAD CAPACITY (KG)	INFLATION PRESSURE Kpa
300-17	6PR	50	80	602	1.85*17	190	280
TT/TL	8PR	53				206	300
SIZE	PLY RATING	LOAD INDEX	S.W (MM)	O.D (MM)	RIM	MAX LOAD CAPACITY (KG)	INFLATION PRESSURE Kpa
300-18	6PR	52	80	627	1.85*18	200	280
TT/TL	8PR	55				218	300



Our Service of this this RICHTONE® High Rubber Content Motorcycle Tyre

We have standardization process in production this High Rubber Content Motorcycle Tyre, and ensuring our product's quality. Use the car tire technology which blending of Taiwan and Japan advanced technology to produce motorcycle tyres. We have get the certificate of ISO9001、CCC、E-MARK、DOT etc. We have hard-working after-sales team, who are providing after-sales service and protection for our clients.

We will uphold the consistent principle of quality-oriented, honest development and service-oriented to provide high-quality products for customers at home and abroad. Looking forward to your inquiry for this RICHTONE® High Rubber Content Motorcycle Tyre Tire.

Shandong Richtone Industrial Co., Ltd.

E-mail:richtoneyres@126.com

Tel: [+86-13793989899](tel:+86-13793989899)



Product production plant diagram



Qualification certificate

Why Choose us

- 1.High quality : Excellent performance and Stable Quality Tires
- 2.Competitive Price : Source factory prices we offer
- 3.Fast Delivery :we can finish the cargo in 15 days
- 4.OEM Cooperation: make the brand as you required
- 5.Better service :we can provide devoted service before and after business .

Packaging Logistics

